

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment with:

- Org ID
- Tenant name
- Quantum Metric prefix

+ New environment

Open existing environment

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

1

Environment setup

Create new environment with Quantum Metric

Choose a name:

Name of environment

Org ID* ⓘ

Placeholder

Tenant name* ⓘ

Placeholder

Quantum Metric prefix* ⓘ

Placeholder

Submit

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment with:

- Org ID
- Tenant name
- Quantum Metric prefix

+ New environment ▾

Open existing environment

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

1

Environment setup

Open existing environment with Quantum Metric

Choose any saved or in progress schema below:

Environment 5 (QM)	Created 1.15.26	
Environment 4 (AEP)	Created 12.22.25	
Environment 3 (AEP)	Created 12.12.25	
Environment 2 (QM)	Created 12.08.25	
Environment 1 (QM)	Created 12.05.25	

Cancel

Submit

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment:

+ New environment

Op

Create schema in QM

Load schema from AEP

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

1

Environment setup

Create new schema with Quantum Metric

Choose a name:

Name of environment

Org ID*

Placeholder

Tenant name*

Placeholder

Quantum Metric prefix*

Placeholder

Submit

Environment properties

Name of environment

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment:

+ New environment

Open existing environment

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

2

Create schema

Create new schema with Quantum Metric

Choose a name:

Name of environment

Adobe Client ID

ksmith.adobe.com

Adobe Client Secret

Placeholder

Loading credentials...

Cancel

Submit

Environment properties

Name of environment

← Previous page

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment:

- + New environment ▾
- Open existing environment

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

2

Create schema

Create new schema with Quantum Metric

Choose a name:

Name of environment

Adobe Client ID

ksmith.adobe.com

Adobe Client Secret

Placeholder

Sandbox name

Sandbox 1 ▾

Schema name

Schema 1 ▾

- Schema 7
- Schema 6
- Schema 5
- Schema 4
- Schema 3
- Schema 2
- Schema 1



Cancel

Submit

← Previous page

Name of schema

Search for events or errors

Search for events here

Below are your most used events to start with:

Events	Errors
roomRates (1)	>
Booking (1)	>
Confirmation (6)	>
Review (2)	>
Placeholder (10)	>
Placeholder (0)	>

2 Create schema

MAPPING TOOL

Quantum Metric


qm | String

_cedantchg | Object

Booking | Object

Confirmation | Object

Review | Object

Ready to begin?
Select an object or attribute you'd like to add to your schema from the menu on the left.

← Previous page

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment:

+ New environment ▾

Op

Create schema in QM

Load schema from AEP

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

1

Environment setup

Load existing schema from Adobe Experience Platform

Choose a name:

Name of environment

Org ID*

Placeholder

Tenant name*

Placeholder

Quantum Metric prefix*

Placeholder

Submit

Environment properties

Name of environment

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment:

+ New environment

Open existing environment

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

2

Create schema

Load existing schema from Adobe Experience Platform

Choose a name:

Name of environment

Adobe Client ID

ksmith.adobe.com

Adobe Client Secret

Placeholder

Loading credentials...

Cancel

Submit

Environment properties

Name of environment

[← Previous page](#)

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment:

+ New environment ▾

[Open existing environment](#)

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

2

Create schema

Load existing schema from Adobe Experience Platform

Choose a name:

Name of environment

Adobe Client ID

ksmith.adobe.com

Adobe Client Secret

Placeholder

Sandbox name

Sandbox 1 ▾

Schema name

Schema 1 ▾

- Schema 7
- Schema 6
- Schema 5
- Schema 4
- Schema 3
- Schema 2
- Schema 1

Cancel

Submit

Environment properties

Name of environment

[← Previous page](#)

Name of schema

Search for events or errors

Below are your most used events to start with:

Events

Errors

roomRates (1)

Booking (1)

Confirmation (6)

Review (2)

Placeholder (10)

Placeholder (0)

Identities:

Primary: _cendantchg.qm.qmMetadata.ecid

_cendantchg.qm.event.rewards.authenticate


_cendantchg.qm.event.rewards.expired

_cendantchg.qm.event.rewards.renewal

Add to schema

2

Create schema



Field properties

Field name

wyndahmRewardsID

Display name

Wyndham Rewards ID

Description:

Placeholder

Type:

String

Mapped properties

29:ev.anynamehere... | fixed

10:ev.namehere... | default

9:ev.category.basicName... | fixed

1

Identity

Primary identity

Identity namespace*

Apply

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment:

Load existing

New environment

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

1

Environment setup

Create new environment

Choose a name: [Create one for me](#)

Name of environment

Adobe Client ID * ⓘ

ksmith.adobe.com



Adobe Client Secret * ⓘ

Placeholder

Sandbox name * ⓘ

Production



Schema Prefix * ⓘ

qm

Next

Cancel

Submit

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment:

Load existing

New environment

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

1

Environment setup

Create new environment

Choose a name: [Create one for me](#)

Name of environment

Adobe Client ID * ⓘ

ksmith.adobe.com



Adobe Client Secret * ⓘ

Placeholder

Sandbox name * ⓘ

Production



Schema Prefix * ⓘ

qm

Adobe Schema ID * ⓘ

Placeholder

Adobe Dataset ID * ⓘ

C61D3704S3309F1B098100D44@Ad...

Adobe Datastream ID * ⓘ

Placeholder

Select one or more application types:

Web SDK



Android



iOS



Android



Package name

Input package name or leave empty for default



Production



Testing

Apply to schema

nameGoesHere

List of schemas

Submit

Cancel

Welcome to the Adobe integration console.

If this is your first time using the console please setup your environment:

Load existing

New environment

Connect your Quantum Metric data with Adobe Customer Journey Analytics., including events, runtime functions, and plugin IDs.

For more guidance and available services, view our [documentation](#).

1

Environment setup

Create new environment

Choose a name: [Create one for me](#)

Name of environment

Adobe Client ID * ⓘ

ksmith.adobe.com



Adobe Client Secret * ⓘ

Placeholder

Sandbox name * ⓘ

Production



Adobe Schema ID * ⓘ

Placeholder

Adobe Dataset ID * ⓘ

C61D3704S3309F1B098100D44@Ad...

Adobe Datastream ID * ⓘ

Placeholder

Schema Prefix * ⓘ

_qm

Select one or more application types:

Web SDK



Android



iOS



Web SDK

Android



Package name

Input package name or leave empty for default

☐ Production

☒ Testing

Apply to schema

nameGoesHere

List of schemas



iOS

Cancel

Submit